



TIME ADJUSTMENT WORKSHEET - TOUCH PADS AS PRIMARY

HEAT MALFUNCTION - TIME ADJUSTMENT

EVENT:	HEAT:	ADJUSTED BY:
--------	-------	--------------

LANE	WATCH TIME (T _w)	PAD TIME (T _p)	WATCH TIME LESS PAD TIME ($\Delta = T_w - T_p$)	HEAT ADJUSTMENT (T _p + Δa) 	OFFICIAL TIME - all lanes -
1					
2					
3					
4					
5					
6					
7					
8					
9					
10					


Sum of all valid differences $\Sigma\Delta$ 

Average difference $\Delta a = \Sigma\Delta / N$ 

Note:
HEAT malfunction occurs when timing system starts late.
N = number of lanes.

HEAT MALFUNCTION - TIME ADJUSTMENT

EVENT:	HEAT:	ADJUSTED BY:
--------	-------	--------------

LANE	WATCH TIME (T _w)	PAD TIME (T _p)	WATCH TIME LESS PAD TIME ($\Delta = T_w - T_p$)	HEAT ADJUSTMENT (T _p + Δa) 	OFFICIAL TIME - all lanes -
1					
2					
3					
4					
5					
6					
7					
8					
9					
10					

Sum of all valid differences $\Sigma\Delta$ 

Average difference $\Delta a = \Sigma\Delta / N$ 

Note:
HEAT malfunction occurs when timing system starts late.
N = number of lanes.